

Point	Date	Flow C.F.S.	pH	T Alk mg/l	T hard mg/l	SO4 mg/l	Fe ug/l	Fe2 ug/l
LS6	6/20/1996	N/A	4.5	0.0	35.5	41	971	750
LS6	6/26/1996	N/A	4.4	0.0	42.1	31	976	830
LS6	7/23/1996	N/A	4.9	2.6	56.0	36	1580	1500
LS6	8/21/1996	N/A	4.7	1.6	74.0	53	1850	1560
LS6	10/3/1996	N/A	4.7	1.4	53.0	51	2620	2160
LS6	4/15/1997	N/A	4.7	1.8	36.0	27	869	690
LS6	5/29/1997	N/A	4.7	1.6	56.0	56	1350	960
LS6	6/9/1997	N/A	4.9	2.6	35.0	35	1070	950
LS6	7/8/1997	N/A	4.4	0.0	53.0	52	1030	870
LS6	8/11/1997	N/A	4.2	0.0	66.0	54	2400	960
LS6	9/9/1997	N/A	4.0	0.0	58.0	45	1080	450
LS-6	10/7/1997	N/A	4.1	0.0	54.0	62	1120	560
LS-6	11/6/1997	N/A	4.4	0.0	41.0	42	1500	1080
LS-6	12/3/1997	N/A	4.7	1.4	36.0	37	1620	1260
LS-6	1/13/1998	N/A	4.9	2.4	44.0	16	647	370
LS-6	2/12/1998	N/A	4.8	2.2	21.0	20	1080	600
LS-6	3/11/1998	N/A	4.6	1.2	24.0	15	1200	900
LS-6	4/8/1998	N/A	4.6	1.4	30.0	44	2150	1100
LS-6	5/13/1998	N/A	4.8	2.2	25.0	20	916	660
LS-6	6/15/1998	N/A	4.7	1.6	37.0	43	1680	1320
LS-6	7/15/1998	N/A	4.2	0.0	37.0	56	2920	1740
LS-6	8/18/1998	N/A	4.1	0.0	56.1	76	1840	1080
LS-6	9/14/1998	N/A	4.0	0.0	69.5	78	1800	890
LS-6	#####	N/A	4.6	1.0	25.7	20	3280	1740
LS06	#####	N/A	4.5	0.0	54.1	62	3400	2760
LS06	#####	N/A	4.6	1.2	52.7	62	3690	3300
LS06	1/20/1999	N/A	4.8	1.8	29.0	20	2030	1380
LS06	2/24/1999	N/A	4.7	1.8	40.6	44	2710	2220
LS06	3/17/1999	N/A	4.5	0.0	38.1	40	2400	2220

Mn	Al	T Acid
ug/l	ug/l	mg/l
471	1520	22.0
475	1480	20.0
553	1490	9.6
626	1760	52.0
636	2050	22.0
412	1510	12.0
480	1560	19.6
408	1280	13.4
620	1890	20.0
877	2960	26.0
880	2990	28.0
856	2930	30.0
554	1880	20.0
447	1420	18.2
216	902	28.0
261	1250	10.0
356	1200	14.8
624	2240	17.2
300	1100	16.0
500	1680	18.4
685	2420	28.0
792	2920	36.0
942	3590	32.0
396	1570	20.0
806	2830	28.0
718	2590	24.0
294	1100	13.4
573	1860	18.6
546	1760	22.0