

Publicly Funded Mine Drainage Treatment or Abatement Project Information Sheet
General Project Information

Project Name and or No.: HARTMAN RUN PA-264
Location: Municipality and County: CARBON TWP, HUNTINGDON
Watershed: SHOUPS RUN
USGS Quadrangle: SAXTON
Latitude and Longitude: 40.20805599999999 -78.17416699999997

Contact Information

Contact Organization: HUNTINGDON COUNTY CONSERVATION DISTRICT
Contact Person: ANDY PATTERSON
Contact Address: 10605 RAYSTOWN ROAD SUITE A
HUNTINGDON
PA
16652
Contact Telephone Number: 8146271627
Contact Email: hccd@papower.net

Organization Currently Responsible For Project Operations, Monitoring and Maintenance

Is this organization different from Contact Organization? True
Organization Name: SAME AS ABOVE
Organization Contact Name: _____
Organization Contact Address: _____
Organization Telephone Number: 0
Organization Email: _____

Site Information

Who owns the property the project is constructed upon?
SHANNON FAMILY PARTNERSHIP

Driving Directions to the Project Site (from an easily identifiable reference point):

BROAD TOP CITY TOWARDS EAGLE FOUNDRY - LEFT ON
SPORTSMANS ROAD TO BROAD TOP SPORTSMANS CLUB -
LEFT ON POWER LINE TO PROJECT SITE

Special instructions for entry to the site (gates, keys, notifications or permissions, etc.):

PUBLIC ACCESS

Is there a perpetual access agreement for monitoring and O&M?

☒ Yes or ☐ No

Is the site readily accessible (by 2WD vehicle)?

Yes or ☒ No

Was project completed as part of an overall watershed restoration plan?

☒ Yes or ☐ No

Is the plan available electronically? JOE ALISON

☒ Yes or ☐ No

Could you provide the DEP a copy of the plan?

☒ Yes or ☐ No

Is a copy of the plan attached?

Yes or ☒ No

Publicly Funded Mine Drainage Treatment or Abatement Project Information Sheet
Project Description (Describe the treatment system including each individual component):

DOSING SITE WITH LIMESTONE PAD FOR LIMESTONE
SAND STORAGE - STABILIZED STREAM CROSSING FOR
4-WHEELERS

Pre-Construction Discharge Flow and Monitoring Data

Is data available electronically? JOE ALLISON (Yes) or No
In what format? Microsoft Excel ___ Access Database ___ Other(specify) JOE ALLISON
Indicate how flow was measured: WATERSHED GROUP - METHOD UNKNOWN
Indicate laboratory that analyzed samples (or whether field kits were used)
DEP LAB - HARRISBURG

Could you provide this data to the DEP? (Yes) or No
Is a copy of the data attached? Yes or (No)

Pre-Construction Receiving Stream Flow and Monitoring Data

Is data available electronically? JOE ALLISON (Yes) or No
In what format? Microsoft Excel ___ Access Database ___ Other(specify) JOE ALLISON
Indicate how flow was measured: WATERSHED GROUP - METHOD UNKNOWN
Indicate laboratory that analyzed samples
DEP LAB - HARRISBURG

Were any biological or fish surveys completed? Yes or (No)
Could you provide this data to the DEP? Yes or No
Is a copy of the data attached? Yes or No

Treatment System Design Information and Criteria

Who or what firm completed project design? (Include name, address, phone, email and contact person, if available): PACD - TAG ERIC ROBERTSON
0 SCHENCK DESIGN OFFICE

Are digital photographs of the site before, during and/or after construction available? Yes or (No)
Was there a Specific Restoration or Treatment Goal for this treatment system? (Yes) or No
If yes, please describe the goal:

ASK JOE ALLISON
What is the Design Flow Rate? JOE MAY KNOW
Other design criteria (retention time, acidity loading or removal rate, metals loading or removal rate, alkalinity generation rate, etc.) _____

Does the treatment system take all of the flow or is some of the flow bypassed?
ALL FLOW GOES THROUGH THE LIMESTONE CHANNEL
USED FOR DOSING

Publicly Funded Mine Drainage Treatment or Abatement Project Information Sheet

Plans and Specifications:

As-Bid Project Drawings and Technical Specifications

Is this information available electronically? NOT SURE Yes or No
 Could you provide the DEP a copy of the plan? Yes or No
 Is a copy attached? Yes or No

As-Built Drawings

Is this information available electronically? NOT SURE Yes or No
 Could you provide the DEP a copy of the plan? Yes or No
 Is a copy attached? Yes or No

Construction and Project Funding Information

What year was the project constructed? 2006

When (specific date) did project construction begin? NOT SURE

When (specific date) was project construction completed? NOT SURE

Who was the Construction Contractor? (Name, Address, Phone, email, contact person)

KRIEGER EXCAVATING, RR #1, Box 232, Saxon, Pa. 16028

SUSAN KRIEGER - 814-658-2832

When (specific date) did the treatment system go on-line? NOT SURE

Primary Funding Partners, and funding provided:

Source	True or false	Amount
Title IV, Appalachian Clean Streams	False	\$.00
PADEP Growing Greener	False	\$.00
10% AMD Set Aside Funds	False	\$.00
EPA Section 319	True	\$29,000.00
OSM Watershed Cooperative Assistance Program	False	\$.00
NRCS	False	\$.00
EPA Watershed Protection	False	\$.00
USCOE	False	\$.00
University	False	\$.00
Private/Foundation	False	\$.00

How or by whom was treatment system construction funded or other funding not included in the table?

Source	Amount
	\$.00
	\$.00

Post Construction Operation, Monitoring and Maintenance

Is there a Sampling and Monitoring Plan? BENIG DEVELOPED Yes or No

Is the plan available electronically? NOT YET Yes or No

Is a copy of the plan attached? Yes or No

Is treatment system currently being sampled and monitored? Yes or No

If so, by whom? CELINA SEFTAS, HCCD WATERSHED SPECIALIST & SRWA

Approximately how many hours per year are spent doing O,M&M for this system? 36

Publicly Funded Mine Drainage Treatment or Abatement Project Information Sheet

Where are samples being analyzed? (Name, Address, Phone, email, contact person)

DEP LAB - HARRISBURG (METALS)

PH/ALCALINITY - ON-SITE

If DEP Lab is being used, what is the project ID and the Sample Information System (SIS) monitoring point IDs?

ASK JOE ALLISON

Is there an Operation and Maintenance Plan?

BEING DEVELOPED

Yes or ☒ No

Is the plan available electronically?

Yes or ☒ No

Could you provide the DEP a copy of this information?

ONCE FINISHED

☒ Yes or ☒ No

Is a copy of the information attached?

Yes or ☒ No

Comments on the treatment system: Stream bank stabilization - LIMESTONE DOSING

CHANNEL - ONLY FUNCTIONS WHEN THERE IS FLOW

Post- Construction Discharge Flow and Monitoring Data

Is the data available electronically?

JOE ALLISON

☒ Yes or ☒ No

In what format? Microsoft Excel

Access Database

Other(specify)

JOE ALLISON

Indicate how flow was measured: WATERSHED GROUP - METHOD UNKNOWN

Could you provide the DEP a copy of this information?

☒ Yes or ☒ No

Is a copy of the information attached?

Yes or ☒ No

Post-Construction Receiving Stream Flow and Monitoring Data

Is the data available electronically?

JOE ALLISON

☒ Yes or ☒ No

In what format? Microsoft Excel

Access Database

Other(specify)

JOE ALLISON

Indicate how flow was measured:

Could you provide the DEP a copy of this information?

☒ Yes or ☒ No

Is a copy of the information attached?

Yes or ☒ No

Were any biological or fish surveys that were completed on the receiving stream? Yes or ☒ No

Treatment System Maintenance and/or Rehabilitation

Has rehabilitation work been performed at the site?

Yes or ☒ No

True(yes) or false(no): False

If yes, please list the rehabilitation activity.

If yes, please list the date of rehabilitation. 0

If yes, please list the rehabilitation cost. \$.00

What routine or non-routine maintenance issues have arisen since system was put online?

ANNUAL LIMESTONE DOSING

Publicly Funded Mine Drainage Treatment or Abatement Project Information Sheet
How was maintenance work funded?

EXISTING GRANT FOR PROJECT CONSTRUCTION

What routine or non-routine maintenance is currently needed or anticipated in the next 1-3 years?

LIMESTONE DOSING ON AN ANNUAL BASIS

Other Comments

Person(s) Completing this Form (Name, Address, Phone, email, Date Completed):

ANDY PATTERSON, DIST. MGR.

HCCD

10605 RAYSON RD

HUNTINGDON, Pa. 16652

Is there any other person, company or organization that should be contacted for information about this treatment system or the information requested in this form?
(Include Name, Address, Phone, email, etc):

JOE ALLISON

ERIC

- YOUR BEST SOURCE OF INFO. ON THESE PROJECTS IS PROBABLY JOE ALLISON SINCE HE SERVED AS PROJECT ADVISOR FOR ALL OF THEM.
- I WOULD ANTICIPATE THAT THE HUNTINGDON COUNTY CONSERVATION DISTRICT WILL EVENTUALLY BE ASSUMING RESPONSIBILITY FOR THE O.M. & R FOR THESE PROJECTS BUT AS OF NOW WE ARE PARTNERING WITH THE SHOPS AND WATERSHED ASSOCIATION (SRWA).
- OUR WATERSHED SPECIALIST IS DOING MONTHLY PH AND ALKALINITY MONITORING AT (18) SITES IN THE SHOPS AND WATERSHED AND THE WATERSHED GROUP IS SENDING SAMPLES TO THE DEP LAB FOR ANALYSIS TWICE A YEAR.
- JOE ALLISON HAS COPIES OF ALL THE TECHNICAL SPECIFICATIONS FOR THESE PROJECTS AND CAN PROBABLY PROVIDE YOU WITH AN ELECTRONIC COPY OF MOST OF THE INFO YOU NEEDED.

HOPE THIS INFO IS
HELPFUL.

ANDY